

MOVE THE WORLD FORW>RD MITSUBISHI HEAVY INDUSTRIES GROUP

**CRJ Series** 





**LEADER** 

# MOVE THE WORLD FORW>RD MITSUBISHI HEAVY INDUSTRIES GROUP

# **CRJ900**

GENERAL			
Flight Crew	Cabin Crew		
2 to 3			
Same type rating across CRJ family			

#### **Passengers**

Dual Class	81 Passengers (38/31 in. pitch)
Single Class	88 Passengers (31 in. pitch)
Maximum Capacity	90 Passengers (31 in. pitch)

## **AVIONICS INFO\***

- Rockwell Collins Pro Line 4 with six-screen EFIS/EICAS
- Traffic alert & collision avoidance system (TCAS) v7.1
- Capabilities: Coupled VNAV, SBAS/WAAS, LPV, RNP 0.3, Link 2000+, ADS-B Out

		пн

## 2 GE CF34-8C5 turbofans

#### Thrust

13,360 lbf. / 59.4 kN at takeoff 14,510 lbf. / 64.5 kN thrust APR

#### Flat Rating

ISA + 15.0°C

PERFORMANCE			
Range (225 lb. / 102	2 kg per pax.)		
	1,550 NM	1,784 SM	2,871 km
Speed			
Maximum Cruis	e Speed:		
0.82 Mach	470 kts	541 mph	871 km/h
Normal Cruise S	Speed:		
0.78 Mach	447 kts	515 mph	829 km/h
Takeoff Field Le	ength (ISA, SL, MTOW)		
		5,820 ft.	1,770 m
Landing Field L	ength (ISA, SL, MTOW)		
		5,360 ft.	1,630 m

CEILING
Maximum Operating Altitude
41,000 ft. / 12,497 m

NOISE LEVEL		
Flyover	Lateral	
32.2 EPNdB 89.2 EPNdB		
Approach	Margin to Stage 4	
92.4 EPNdB	7.5 EPNdB	

EMISSIONS (MARGINS TO CAEP6)		
NOx	Smoke	
26.6%	60.8%	
UHC (Unburned Hydrocarbons)	CO	
97.6% 63.7%		

EXTERNAL DIMENSIONS		
Length	Wingspan	
118 ft. 11 in. / 36.2 m	81 ft. 7 in. / 24.9 m	
Wing Area (net)	Height	
765 ft. <sup>2</sup> / 71.1 m <sup>2</sup>	24 ft. 7 in. / 7.5 m	
Fuselage Max Diameter		
8 ft. 10 in. / 2.7 m		

INTERNAL DIMENSIONS		
Cabin Length	Cabin Max Width (Centreline)	
69 ft. 4 in. / 21.13 m	8 ft. 4 in. / 2.55 m	
Cabin Width (Floor Level)	Cabin Aisle Height	
7 ft. 1 in. / 2.16 m	6 ft. 2 in. / 1.89 m	
Cabin Volume	Overhead Bin Volume per Pax.	
2,974 ft.3 / 84.21 m <sup>3</sup>	1.9 ft. <sup>3</sup> / 0.05 m <sup>3</sup>	
Cargo Volume	Floor Area	
594 ft. <sup>3</sup> / 16.8 m <sup>3</sup>	486 ft. <sup>2</sup> / 45.1 m <sup>2</sup>	

DOORS & EXITS			
Passenger Door		LH FWD	
Height Width Height to Sill		5 ft. 10 in. / 1.78 m 3 ft. / 0.91 m 5 ft. 8 in. / 1.73 m	
Cargo Door	LH AFT	LH FWD (2 Doors)	
Height Width Height to Sill	2 ft. 9 in. / 0.84 m 3 ft. 7 in. / 1.09 m 7 ft. 7 in. / 2.31 m	1 ft. 8 in. / 0.51 m 3 ft. 6 in. / 1.07 m 4 ft. 3 in. / 1.28 m	
Service Door	RHFWD		
Height Width Height to Sill	4 ft. / 1.22 m 2 ft. / 0.61 m 5 ft. 8 in. / 1.73 m		
Overwing Exits	LH / RH		
Height Width	3 ft. 7 in. / 1.09 m 1 ft. 8 in. / 0.51 m		

WEIGHT	
Maximum Ramp Weight	
Base	80,750 lb. / 36,628 kg
Max	85,000 lb. / 38,555 kg
Maximum Takeoff Weight	
Base	80,500 lb. / 36,514 kg
Max	84,500 lb. / 38,330 kg
Maximum Landing Weight	
Base	73,500 lb. / 33,340 kg
Max	75,100 lb. / 34,065 kg
Maximum Zero Fuel Weight	
Base	70,000 lb. / 31,751 kg
Max	70,750 lb. / 32,092 kg
Maximum Payload	
Base	21,840 lb. / 9,907 kg
Max	22,590 lb. / 10,247 kg
Cargo Weight	
	6,075 lb. / 2,756 kg







# **MHIRJ Group** mhirj.com



Scan to be taken to the CRJ Series on the new MHIRJ website



<sup>\*</sup> Some features optional MHIRJ CRJ Series and CRJ900 are trademarks of MHIRJ Aviation ULC, or its group companies.

The information in this document is proprietary to MHI RJ Aviation ULC, or its group companies. All MHI RJ Aviation ULC specifications and data are approximate, may change without notice and subject to certain operating rules, assumptions and other conditions. This document does not constitute an offer, commitment, representation, guarantee or warranty of any kind, and the configuration and performance of any aircraft shall be determined in a final purchase agreement. This document must not be reproduced or distributed in whole or in part to or by a third part. MHIRJ Aviation ULC shall be notified in writing of all requests for permission to disclose.